

02-8607-03-PA

POTENTIAL HAZARDOUS WASTE SITE

PRELIMINARY ASSESSME

PRELIMINA	RY ASSESSMENT COMPLETICA
C & D Batteries	NYD064337298
Site Name	EPA Site ID Number
Route 209	
Huguenot, New York	02-8607-03
Address	TDD Number

Date of Site Visit: Off-site reconnaissance 8/7/86

SITE DESCRIPTION

C & D Batteries is an active lead battery manufacturing operation on approximately 17 acres located north of Port Jervis on Route 209 in Huguenot, New York. All manufacturing operations are housed under one roof. There is a fence around the outside property boundary. The types of hazardous waste generated are lead contaminated trash, waste water contaminated with sulfuric acid and lead sludge. The operation generates approximately I million gallons of lead contaminated waste water annually. There was a waste lagoon onsite used by a previous owner for disposal of waste water from manufacturing television tubes but it is no longer in existence.

The current treatment system is made up of a series of treatment steps which occur in tanks or totally enclosed units. The effluent from the system is not hazardous and is transported by truck to a publicly owned treatment works. Lead containing sludge is dewatered and stored for offsite shipment in accordance with RCRA manifest requirements.

PRIORITY FOR FURTHER ACTION: High ____ Medium ___ Low ___ None X RECOMMENDATIONS

No further action is recommended, as the New York Department of Environmental Conservation has a Phase II investigation planned for the site. A contract will be awarded in October or November of this year. The actual field work will begin in March or April of 1987.

Prepared by:	Jane Bullis	Date:	8/20/86
of	NUS Corporation	_	

IDENTIFICATION POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT OI STATE 02 SITE NUMBER PART 1 - SITE LOCATION AND INSPECTION INFOR D064337298 02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER 01 SITE NAME (Legal, common, or descriptive name of site) Route 209 04 STATE 05 ZIP CODE 06 COUNTY 07 COUNTY C & D Batteries 08 CONG DIST. 071 26 NY 12746 Orange Huguenot 09 COORDINATES IONGITUDE LATITUDE 0 7 40 3 7' 4 3". W 4 10 25'0 8". N IO DIRECTIONS TO SITE (Starting from nearest public road) Route 209 North out of Port Jervis into Huguenot, site is on the right. III. RESPONSIBLE PARTIES 02 STREET (Business, mailing, residential) OI OWNER (if known) Route 209 Box 209 04 STATE 05 71P C & D Power Systems (Formerly C & D Batteries) 05 ZIP CODE **06 TELEPHONE NUMBER** 03 CITY (914) 856-4466 12746 08 STREET (Business, mailing, residential) 07 OPERATOR (if known and different from owner) 12 TELEPHONE NUMBER 10 STATE 11 ZIP CODE 09 CITY 13 TYPE OF OWNERSHIP (Check one) C. STATE E. MUNICIPAL D. COUNTY X A. PRIVATE 8. FEDERAL: (Agency name) F. OTHER: G. UNKNOWN (Specify) 14. OWNER/OPERATOR NOTIFICATION ON FILE (Check all that apply) DATE RECEIVED: / / X B. UNCONTROLLED WASTE SITE (CERCLA 103 c) DATE RECEIVED: 6/02/81 A. RCRA 3001 C. NONE IV. CHARACTERIZATION OF POTENTIAL HAZARD OI ON SITE INSPECTION BY (Check all that apply) X A. EPA B. EPA CONTRACTOR X C. STATE D. OTHER CONTRACTOR X YES DATE: 2/19/86 E. LOCAL HEALTH OFFICIAL F. OTHER: (Specify) CONTRACTOR NAME(S): 03 YEARS OF OPERATION 02 SITE STATUS (Check one) X UNKNOWN X A. ACTIVE B. INACTIVE C. UNKNOWN ENDING BEGINNING

04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED This site manufactures lead/acid batteries. Hazardous waste from operation include lead, barium, sulfuric acid and corrosive waste water. 05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION Releases from normal operations have contributed to ground contamination. IV. PRIORITY ASSESSMENT OI PRIORITY FOR INSPECTION (Check one. If high or medium is checked, complete Part 2 - Waste information and Part 3 -Description of Hazardous Conditions and Incidents) B. MEDIUM C. LOW X D. NONE (Inspection required) (Inspection on time available basis) (Inspection required promptly) (No further action needed. complete current disposition form) VI. INFORMATION AVAILABLE FROM OI CONTACT **03 TELEPHONE NUMBER** 02 OF (Agency/Organization) U.S. EPA Region II Edison, NJ Diana Messina 04 PERSON RESPONSIBLE FOR ASSESSMENT OS AGENCY OF ORGANIZATION OF TELEPHONE NUMBER 08 DATE NUS FIT II (201) 225-6160 8/11/86 Jane Bullis EPA FORM 2070-12 (7-81)



POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 2 - WASTE INFORMATION

1. IDENTIFICATION OI STATE O2 SITE NUMBER NY D064337298

II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS OI PHYSICAL STATES (Check all that apply) OZ WASTE QUANTITY AT SITE 03 WASTE CHARACTERISTICS (Check all that apply) I. HIGHLY VOLATILE
J. EXPLOSIVE
K. REACTIVE X A. TOXIC E. SOLUBLE
X B. CORROSIVE F. INFECTIOUS
C. RADIOACTIVE G. FLAMMABLE
D. PERSISTENT H. IGNITABLE (Measures of waste quantities must be A. SOLID
B. POMDER, FINES X F. LIQUID
C. SLUDGE G. GAS independent) X L. INCOMPATIBLE M. NOT APPLICABLE TONS D. OTHER: CUBIC YARDS (Specify) III. WASTE TYPE 03 COMMENTS 02 UNIT OF MEASURE SUBSTANCE NAME 01 GROSS AMOUNT SLUDGE 5 55-gallon Drums SLU OILY WASTE OLW SOLVENTS SOL PESTICIDES PSD OTHER ORGANIC CHEMICALS OCC INORGANIC CHEMICALS Unknown IOC ACIDS ACD BASES BAS Unknown HEAVY METALS MES IV. HAZARDOUS SUBSTANCES (See Appendix for most frequently cited CAS Numbers) O6 MEASURE OF CONCENTRATION 04 STORAGE/DISPOSAL METHOD 05 CONCENTRATION 02 SUBSTANCE NAME 03 CAS NUMBER CATEGORY Unknown 7439-92-1 DR TK SLU MES Lead 7440-39-3 Unknown Unknown MES Barium Unknown Unknown 100 Fluoride TK 7664-93-9 ACD Sulfuric acid

V. FEEDSTOCKS (See CATEGORY	Appendix for CAS Numbers) 01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		•
FDS		•	FDS		
FDS			FDS		
VI. SOURCES OF INF	ORMATION (See specific referen	nces. e.g., state fi	les, sample anal	ysis, reports)	

EPA Notification of Hazardous Waste Site. RCRA Inspection Summary. Hydrogeologic Investigation Data from C & D Batteries.

EPA FORM 2070-12 (7-81)

POTENTIAL HAZARDOUS MASTE SITE PRELIMINARY ASSESSMENT PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

1. IDENTIFICATION
OI STATE O2 SITE NUMBER
NY D064337298

OI		O2 OBSERVED (DATE:		X POTENTIAL	_ ALLEGED
U.S	There is potential for groundwater contaminati determine if unacceptable levels of contaminan	on via routine operations, however	11 monit 1 to the	oring wells have b groundwater.	een installed to
01 03	X B. SURFACE WATER CONTAMINATION POPULATION POTENTIALLY AFFECTED: Unknown	02 OBSERVED (DATE: 04 NARRATIVE DESCRIPTION)	X POTENTIAL	_ ALLEGED
	A lagoon used by a previous owner for disposal lagoon to an unnamed stream. The lagoon has s	l of waste water offered a runoff p since been capped with a concrete b	otential uilding.	for certain consti	tuents from the
01 03	POPULATION POTENTIALLY AFFECTED: Unknown			POTENTIAL	_ ALLEGED
	There is little potential for air contamination	on as the wastes that are generated	are all	contained and are	not volatile.
01 03	D. FIRE/EXPLOSIVE CONDITIONS FOPULATION POTENTIALLY AFFECTED: Unknown	02 OBSERVED (DATE: 04 NARRATIVE DESCRIPTION)	_ POTENTIAL	_ ALLEGED
	The facility appears to be maintained and oper the environment. The site does not store or t	rated to minimize fire, explosion o treat ignitable, reactive or incomp	r release atible w	es which could threaste.	eaten workers or
	X E. DIRECT CONTACT POPULATION POTENTIALLY AFFECTED: Unknown	O2 OBSERVED (DATE: O4 NARRATIVE DESCRIPTION		X POTENTIAL	_ ALLEGED
	The potential exists for the workers of C $\&$ D however the site is completely fenced in with	Batteries to have direct contact wan entrance gate to deter unauthor	vith corre	osive waste water a sonnel from enteri	and lead sludges, ng the premises.
	X F. CONTAMINATION OF SOIL AREA POTENTIALLY AFFECTED: Unknown (ACRES)	O2 X OBSERVED (DATE: March 198 O4 NARRATIVE DESCRIPTION	32)	_ POTENTIAL	_ ALLEĢED
	Environmental Resources Management Inc., a pa and levels of lead above normal.	rivate consulting firm, assessed th	ne soil a	s having high leve	ls of fluorides
	X G. DRINKING WATER CONTAMINATION POPULATION POTENTIALLY AFFECTED: 122	O2 OBSERVED (DATE: 04 MARRATIVE DESCRIPTION)	X POTENTIAL	_ ALLEGED
	There is a great potential for drinking water been found on site. Contaminated soil has be	contamination as the soil is high en found within 3 miles of communit	ly permea ty drinki	ble and fluorides ng wells.	and lead have
01 03	H. WORKER EXPOSURE/INJURY WORKERS POTENTIALLY AFFECTED: Unknown	02 OBSERVED (DATE: 04 NARRATIVE DESCRIPTION		_ POTENTIAL	_ ALLEGED
	There has been no history of worker exposure workers, therefore the potential for exposure		toring of	the health and sa	fety of the
01 03	I. POPULATION EXPOSURE/INJURY POPULATION POTENTIALLY AFFECTED: Unknown	O2 OBSERVED (DATE: O4 NARRATIVE DESCRIPTION		_ POTENTIAL	_ ALLEGED
	The site is entirely fenced with a gate at th Once inside the fence, the potential is still				e from the site.
EF	PA FORM 2070-12 (7-81)				

PUTENTIAL MAZAKUUUS MASTE STIE PRELIMINARY ASSESSMENT 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND 1

OT STATE OZ SITE NUMBER NY DO64337298

II. HAZARDOUS CONDITIONS AND INCIDENTS X POTENTIAL ALLEGED 02 OBSERVED (DATE: 01 x J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION There is potential for flora damage because of the lead and fluoride contaminants in the soil, although there are monitoring wells to test for any increase of these contaminants. ___) X POTENTIAL __ ALLEGED 02 _ OBSERVED (DATE: __ O1 X K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (Include name(s) of species) The potential exists for corrosive waste water which could leak from holding or treatment tanks to enter a unnamed stream, down slope from the site which could effect local fauna that use the stream. 02 OBSERVED (DATE: ______) X POTENTIAL __ALLEGED 01 X L. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION Soil and surface water contamination could result in strong impacts on local food chains that depend on the areas soil and water. POTENTIAL _ ALLEGED 02 OBSERVED (DATE: M. UNSTABLE CONTAINMENT OF WASTES (Spills/runoff/standing liquids/leaking drums) **04 NARRATIVE DESCRIPTION** 03 POPULATION POTENTIALLY AFFECTED: All tanks used for storage and treatment of waste are inspected daily. 02 OBSERVED (DATE: ___ X N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION The potential for damage to offsite property exists as contaminated soil has been observed and could be entering the groundwater which can migrate off site. 02 _ OBSERVED (DATE: __ O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs 04 NARRATIVE DESCRIPTION The site is located in a rural area therfore there is little potential for contamination of sewers or storm drains. 02 OBSERVED (DATE: POTENTIAL ALLEGED P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION There was a waste lagoon onsite used by a previous owner for disposal of waste water from manufacturing of television tubes. The lagoon is no longer in existence. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS All known hazards are described above. III. TOTAL POPULATION POTENTIALLY AFFECTED: IV. COMMENTS The newly appointed safety and emergency coordinator had not received formal training regarding hazardous waste practices as of February 1986. V. SOURCES OF INFORMATION (Cite specific references. e.g., state files, sample analysis, reports)

NYSDEC Campliance Inspection Report 2/21/86.


U.S. EPA Hazardous Waste Form.

SAX, N.K., 1979, Dangerous Properties of Industrial Matrials.

Telecon Note: NYSDEC Carl Hoffman 8/13/86.

EPA FORM 2070-12 (7-81)

APPENDIX A MAPS AND PHOTOGRAPHS



SITE LOCATION MAP

C & D BATTERIES, HUGUENOT, N.Y.

SCALE: 1" = 2000"



C & D BATTERIES RT. 209 HUGUENOT, NEW YORK TDD# 02-8607-03 AUGUST 14, 1986

PHOTOGRAPH INDEX

C & D BATTERIES RT. 209 HUGUENOT, NEW YORK TDD# 02-8607-03 AUGUST 14, 1986

PHOTOGRAPH INDEX


Photo Number	<u>Description</u>	<u>Time</u>
1P=19	Looking southeast from Rt. 209 shows entrance to facility. Photographer: Jack Taylor.	1219
1P-20	Looking east from Rt. 209 shows parking area of facility. Photographer: Jack Taylor.	1219



C & D BATTERIES, RT. 209 HUGUENOT, NEW YORK



1P-19 August 7, 1986 1219
Looking southeast from Rt. 209 shows entrance to facility. Photographer: Jack Taylor.



1P-20 August 7, 1986 1219
Looking east from Rt. 209 shows parking area of facility.
Photographer: Jack Taylor.

APPENDIX B
BACKGROUND

ivolitication of mazardous vvaste site るとにアラ **Environmental Prot** Agency Washington DC 20-This initial notification information is Please type or print in ink. If you need required by Section 103(c) of the Compreadditional space, use separate sheets of hensive Environmental Response, Compenpaper. Indicate the letter of the item sation, and Liability Act of 1980 and must which applies. NYS 000 00/336 810602 be mailed by June 9, 1981. Person Required to Notify: Name Eltra Corporation, a wholly owned subsidiary of Allie Enter the name and address of the person or organization required to notify. Corporat Street P. O. Box 1013R City Morristown State N J Zip Code 07960 Site Location: C & D Batteries Division_Huquenot Plant Name of Site Enter the common name (if known) and actual location of the site. P. O. Box 209, Route 209 Street City Orange Huguenot County State N Y Zip Code 12746 Name (Last, First and Title) Giebel, Edmund A. Enter the name, title (if applicable), and business telephone number of the person Phone (201) 455-6569 to contact regarding information submitted on this form. Director of Pollution Control Dates of Waste Handling: Enter the years that you estimate waste 1981 1973 From (Year) To (Year) treatment, storage, or disposal began and ended at the site. Waste Type: Choose the option you prefer to complete Option I: Select general waste types and source categories. If Option 2: This option is available to persons familiar with you do not know the general waste types or sources, you are Resource Conservation and Recovery Act (RCRA) Section 3 encouraged to describe the site in Item I-Description of Site. regulations (40 CFR Part 261). General Type of Waste: Source of Waste: Specific Type of Waste: Place an X in the appropriate Place an X in the appropriate EPA has assigned a four-digit number to each hazardous v boxes. The categories listed listed in the regulations under Section 3001 of RCRA. Ente boxes. overlap. Check each applicable appropriate four-digit number in the boxes provided. A cop category. the list of hazardous wastes and codes can be obtained by contacting the EPA Region serving the State in which the : located. 1.
Organics 1.
Mining 2. Inorganics 2.
Construction 3. Solvents 3.

Textiles 4. ☐ Pesticides 4.

Fertilizer 5.
Heavy metals 5. Paper/Printing 6. D Acids 6. D Leather Tanning 7. D. Bases 7. D Iron/Steel Foundry 8. □ PCBs 8. Chemical, General 9. Mixed Municipal Waste 9. D Plating/Polishing 10.
Unknown 10. ☐ Military/Ammunition 11. Other (Specify) 11.

Electrical Conductors 12.
Transformers 13.

Utility Companies

14. □ Sanitary/Refuse
15. □ Photofinish
16. □ Lab/Hospital
17. □ Unknown
18. ☒ Other (Specify)


Lead-acid

battery plant

Form Approved OMB No. 2000-0138 EPA Form 8900-1

	Notification of Hazardous Wash Site	Side Two Y		•
F	Waste Quantity:	Facility Type	Total Facility Waste	Amount
•	place an X in the appropriate boxes to	1. D Piles	cubic feet	
	indicate the facility types found at the site.	2. Land Treatment	gallons	
	In the "total facility waste amount" space give the estimated combined quantity	3. ☐ Landfill 4. ☐ Tanks	Total Facility Area	
	(volume) of hazardous wastes at the site using cubic feet or gallons.	5. Impoundment	square feet	
	In the "total facility area" space, give the	6. Underground Injection		
٠.	estimated area size which the facilities occupy using square feet or acres.	7. Drums, Above Ground 8. Drums, Below Ground	acres	
	occupy using square reet of acres.	9. 20 Other (Specify)	See Item I	
G	Known, Suspected or Likely Releases to	the Environment:		
	Place an X in the appropriate boxes to indicate or likely releases of wastes to the environment	any known, suspected,	☐ Known ☐ Suspected See Item I	d 🗆 Likely 🖻
٠.	Note: Items Hand I are optional. Completing hazardous waste sites. Although completing	these items will assist EPA and State the items is not required, you are enc	and local governments in louraged to do so.	ocating and assa
\overline{H}	Sketch Map of Site Location: (Optional			•
	Sketch a map showing streets, highways, routes or other prominent landmarks near the site. Place an X on the map to indicate the site location. Draw an arrow showing			, .
	the direction north. You may substitute a publishing map showing the site location.			
		_		
			••	••
		•		
	•		•	-
<u> </u>	Description of Site: (Optional)	(This is a lead battery ma	onufacturing site.	Releases
	Describe the history and present conditions of the site. Give directions to the site and describe any nearby wells, springs, lakes, or housing. Include such information as how waste was disposed and where the waste came from. Provide any other information or comments which may help describe the site conditions.	from normal operations over may have contributed to glead and possibly sulfurity contamination is susception rainfall events. Present of lead in rain run-off when the property of the substitute of the substitut	ver a long period of ground contamination ic acid. Some of suible to run-off duri t data reveals ppm l water in the range of	n by ich ing Levels of
		provide a basis for State	PPA notification.)
		•	·	
_	Ci			
J	Signature and Title: The person or authorized representative	Name Edmund A. Giebel		⊠ Owner, Pres
	(such as plant managers, superintendents,			Owner, Pasi
,	to notity must sign the form and provide a	Street P. O. Box 1013R		☐ Transporter
	mailing address (if different than address in item A). For other persons providing	City Morristown State	N J Zip Code 07960	Operator, Pr
	notification, the signature is optional. Check the boxes which best describe the relationship to the site of the person required to notify. If you are not required to notify check. Other	Signature The April	Ll Date 4/3/81	□ Other

TELECON NOTE NUS CORPORATION CONTROL NO: 8/13/86 0930 NYX9 PREZIMINARY ASSESSMENT PHONE: BETWEEN: (518)457-9538 MSDEZ CATEL HOFFMAN SANE BOLLIS (NUS) DISCUSSION: **ACTION ITEMS:**



FOREWARD

SOURCE LOCATIONS

he county maps in this atlas show the locations of surface water intakes and groundwater ources for community water systems in New York State. A community water system is definid in Part 5 of the New York State Sanitary Code as a public water system which serves at least we service connections used by year round residents or regularly serves at least 25 year round esidents. Many different types of water systems are therefore included. Community water yestems which purchase 100 percent of their water and have no sources of their own are not here.

ach county map is accompanied by a list of the county's community water systems, populaion served; and source names: Systems are separated into MUNICIPAL COMMUNITY (program ode 100) and NON-MUNICIPAL COMMUNITY tall other program codes) and listed iphabetically within-leach. MUNICIPAL COMMUNITY water systems are operated by a city, own, village, county of water authority or the water system may be a water district or privately owned. NON-MUNICIPAL COMMUNITY systems are primarily mobile home parks but also inlude apartmenta/condominums, resident health care facilities, resident institutions, and educal facilities.

EXPLANATION OF SYMBOLS

Sulface water intakes are designated on the county maps by a triangle (Δ) accompanied by the corresponding water supply number.

Groundwater sources are designated by a dot [•] followed by the supply number. Multipla wells:separated by less than 1000' and supplying the same water:system are shown with one dot. Springs:and infiltration galleries are shown as groundwater sources unless the local health unit has designated it a surface source. Therefore, springs and infiltration galleries are listed as wells (springs) or wells (infiltration galleries).

If a Community Water System has source(s) located outside the county, these sources are shown in the county list and show in parentheses the system number, county and page number. Conversely, when a county, contains source(s) which supply community water systems located outside the county, the name of the system is also shown in that county's list of sources.


ACKNOWLEDGEMENT

Data compiled in this Atlas is based on location of community water system sources from visits, in 1979, to every county health unit in the State by technicians working for the Bureau of Public Water Supply Protection. This data was updated in 1982, through use of the Department Health's SAFWATER computer inventory and through limited field review. The Bureau of Water Supply Protection wishes to acknowledge the following organizations who have the Atlas possible:

To the United States; Environmental Protection: Agency for funding this Atlas as a part of the Underground Injection Control Program.

To the Certography Section of the New York State Department of Transportation for providing the talent, time, and effort in performing the necessary cartographic work to produce this Atlas.

To the engineers and technicians of the Bureau of Public Water Supply Protection of the New, York State Department of Health for the painstaking work of gathering the basic data and cross-checking it, and for leading this project through to completion.



ORANGE COUNTY		MATER CYCLEM	POPULATION	SOURCE	ID NO COMMUNITY WATER SYSTEM	POPIII ATION	SOURCE
ID NO COMMUNITY WATER SYSTEM POPULATION	SOURCE			the second second			***************************************
The state of the s	•	Municipal Community	ho.	Volte.	136 Ma Hana Country		*
## ROWN COMMUNITY WATER SYSTEM POPULATION Municipal Cammunity	Echo Lake Wells Wells Wells Wells Wells Wells Wells Wells Wells Alec Meadow Reservoir, Arthurs, Tamarac, & Sphagnum Ponds Upper Reservoir Wells Wells Wells Wells Wells Glenmere Lake Wells	87 Wast Side Greenwood Lake Mater District. 88 Whitlock Farms. 89 Wickham Village. 90 Woodbury Water District #1. 91 Woodbury Water District #6. (Amdor Park). 92 Woodland Acres. Non-Municipal Community 93 Bear Mountain State Park (Rockland Co. Page 74).		.Wells	No. COMMUNITY WATER SYSTEM No. Municipal Community 136 Mt Hope Foundation-Residence. 137 Mt Orange Trailer Park. 138 MYU Housing Sterting forrest. 139 Old 9-W Realty Corp. 140 Otisville Rehabilitation Center. 141 Pine Grove Trailer Park. 142 Pines XII School. 143 Rock Terrace Trailer Park. 145 Silver Stream Trailer Court. 146 Sleepy Hollow Mobile Park. 147 Sosa Water Supply. 148 South Maple Estates. 149 South Maple Estates. 150 Spruce Lodge. 151 St Patrick's Villa Group. 152 St Patrick's Semi-Military Academy. 153 Stoney Ford Trailer Park. 155 Sunset Trailer Court. 156 Thompsons Trailer Court. 157 Tri-State Trailer Court. 157 Tri-State Trailer Park. 158 U S M A - Stony Lonesome System. 159 US Hilitary Academy Lusk System. 160 Valley View Park. 161 Walden Mobile Home Association 162 Walters Trailer Village. 163 Warwick Garden Apartments. 164 Warwick Garden Apartments.	. 40 120 30 NA 250 95 1.10 36 105 620 25 50 200 350 42 122 30 NA 36 35 12000.	Wells
Monroe Hills Estates. 120.	. Wells . Wells . Wells . Wells . Wells . Wells . Monhagen, Highland & Shawangunk Lakes . Wells . Lake Mombasha . Lake Mombasha . Lake Mombasha . Wells . Lake Washington . Chadwick Lake . Wells	94 Bei-Air Trailer Park. 95 Brittany Terrace. 96 Butler Mobile Homes. 97 Campbell Water Supply. 98 Candlestick Mobile Park. 99 Castle High Trailer Park. 100 Crystal Run Village Inc. 101 Dicker's Bungalow Colony. 102 Dombal Trailer Park. 103 Donovan's Place. 104 Doodletown Water System (Ro and Page 74). 105 Fair Nead Farm. 106 Fairlawn Mobile Village. 107 Falkirk Hospital. 108 Fancher Trailer Court. 109 Federal Correctional Instit. 110 Gillen Trailer Park. 111 Goshen Center for Boys. 112 Greenwood Mobile Home Court. 113 H A Harris, Inc. 114 Hampton Realty Trailer Park. 115 Hill and Dale Mobile Home I. 116 Hilltop Haven Trailer Park. 117 Hogencamps Trailer Court. 118 Holiday Mobile Park Inc. 119 Hudson View Terrace (Lover Section). 121 Hudson View Terrace (Lover Section). 122 Hudson View Terrace (Lover Section). 123 K & M Mobile Home Park. 124 Kaylake Lodge. 125 Kimbali Farms 126 Lage Country Homes. 127 Lampiight Village. 128 M G U Realty. 129 Mary Crest Convent. 131 Hid-Hudson Psychiatric Cer 132 Mid-Lake Park. 131 Hid-Orange Correctional Facility. 134 Montgomery Nursing Home. 135 Mtd-Irailer Court.	. 15 60 45 55 500 16 250 125 23 55 NA 6 225 25 120 125 46 30 83 NA 84 84 NA 840 840.	Queensboro Lake .Wells	Surface w	ATETR DUTI	AXC S
67 Scheller Water Supply	Wel-Is	135 Mt Airy Trailer Court	•	•			

il Survey of Orange County, New York



ited States Department of Agriculture, Soil Conservation Service coperation with Cornell University Agricultural Experiment Station



is difficult because of droughtiness. Some areas are suitable sources of sand.

The capability subclass is IVs.

OkB-Oakville loamy fine sand, 3 to 8 percent slopes. This deep, well drained, gently sloping soil formed in glacial outwash deposits that are dominantly fine sand. It is on terraces and undulating flats in valleys and on lowland deltaic plains. Areas are round or long and narrow and are commonly 10 to 20 acres.

Typically the surface layer is dark brown loamy fine sand 8 inches thick. The subsoil is very friable, yellowish brown fine sand 28 inches thick. The upper part of the substratum from 36 to 48 inches is brown fine sand, and the lower part to 60 inches is loose, grayish brown fine

and medium sand.

Included with this soil in mapping are small areas of the gravelly Hoosic soils and very gravelly Otisville soils. Pockets of very poorly drained, sandy Scarboro soils and gravelly Halsey soils in a few depressions are identified by spot symbols on the soil map. In a few areas the

subsoil is fine sandy loam.

Depth to the seasonal high water table is more than 3 feet. Permeability is rapid in the surface layer and is very rapid in the subsoil and substratum. Available water capacity is low, and runoff is slow. Root penetration is excellent if moisture is available. Natural organic matter content is low. The soil is generally gravel free. In unlimed areas, the surface layer is medium acid to neutral.

Some areas are farmed or developed for urban uses.

Many are idle.

This gravel-free soil is generally easy to till and can be cultivated early in spring. It is not well suited to cultivated crops and hay because of droughtiness in summer and low natural fertility. Deep-rooted crops, such as alfalfa hay, are better suited to this soil than other crops because they obtain moisture from the subsoil and substratum. Specialized crops and vegetable crops do well if irrigated. Sprinkler irrigation is well suited to this soil but is somewhat more difficult to operate than on the nearly level Oakville soils. Because the soil is low in natural fertility and fertilizers are easily leached out in the very rapidly permeable subsoil, timely application of fertilizer is important. Erosion is a minor hazard in areas left bare of plant cover. Minimum tillage, cover crops, return of crop residue and animal manure to the soil, cross-slope tillage, and sod crops in the cropping system are needed to maintain tilth, to reduce the slight erosion hazard, and to improve organic matter content, which increases the available water capacity.

This soil is suitable for early season pasture, but droughtiness restricts growth in midsummer. Proper stocking, rotation grazing, and restricted grazing in dry periods are needed to maintain pasture seedings.

Suitability for timber is poor to fair. Wooded areas commonly support such species as northern red oak, red pine, and white pine. High seedling mortality is a serious problem because of droughtiness.

This soil is suitable for some urban uses. Ca design and construction of septic tank absorption is needed because the very rapidly permeable sut tum allows movement of effluent into the water Lawns and golf fairways tend to grow slowly and sp ly unless irrigated and adequately fertilized. Some are suitable as a source of sand.

The capability subclass is IVs.

OtB-Otisville gravelly sandy loam, 0 to 8 pe slopes. This deep, excessively drained, nearly legently sloping soil formed in glacial outwash de that are dominantly sand and gravel. It is on ter and undulating plains in valleys and on lowlands. are mostly round or oval and 5 to 20 acres.

Typically the surface layer is dark grayish brown elly sandy loam 6 inches thick. The subsoil is 22 i thick. The upper part is yellowish brown gravelly sand, and the lower part is yellowish brown very g sand. The substratum to a depth of 60 inches is c

brown very gravelly sand.

Included with this soil in mapping are spots somewhat excessively drained to well drained I soils and Chenango soils and well drained sandy ville soils. Spots of the somewhat poorly drain poorly drained Fredon soils occur in slightly lower Pockets of the very poorly drained sandy Scarbor in a few depressions are identified by spot symb the soil map.

Depth to the water table is usually more than Permeability is rapid in the surface layer and subs is rapid or very rapid in the substratum. Available capacity is very low, and runoff is slow. Root pene is good if moisture is available. Natural organic content is low. Gravel fragments make up 15 percent of the surface layer, and the content inc in the subsoil and substratum. In unlimed are surface layer is extremely acid to strongly acid.

Some areas are used for pasture, hay, and purposes. A few are used for cultivated crops, and

are mined for sand and gravel.

This soil is poorly suited to most crops beca severe summer droughtiness and low natural Deep-rooted crops, such as alfalfa hay, are sor better suited than shallow-rooted crops because can obtain moisture from deep in the subsoil a stratum. Vegetable crops and field crops are sui areas where irrigation water is available. Grav ments, however, can interfere with precision plan with harvesting. Gravel fragments also cause exc rapid wear of tillage equipment. Timely applica fertilizer is important because of the overall low fe the soil and the hazard of fertilizer leaching thro rapidly permeable subsoil. Erosion is only a mino in most areas. Minimum tillage, cover crops, r crop residue, cross-slope tillage, and sod crop cropping system are needed to maintain tilth increase organic matter content, which improve ble water capacity.